

HOW COVER CROPS BENEFIT SOIL HEALTH




Emily Reiss, Cornell University

Outline

- The impact of plants on soil function
- Collaboration of plants and microbes for soil health
- The importance of soil nitrogen pools for plant yield
- How cover crops contribute to OM and soil health

Plants are the engine of the soil


First start with the
belowground
impact



Then talk about
increasing the
aboveground
contribution

Plants prime the soil for decomposition

Wheat doubled and soybean tripled decomposition rates of soil organic matter (SOM).



Plants and microbes collaborate in the rhizosphere





Figure 4


A branch root (red arrow) of buckwheat (*Fagopyron esculentum*) frozen together with its surrounding soil and then imaged using scanning electron microscopy to reveal the intimate contact between the root and soil. Note the root hairs extending out and exploring the surrounding soil. Bar = 600 μm . b) Red arrows point to droplets of root exudates released from the tips of root hairs on the surface of broom corn (*Sorghum* sp.). Bar = 50 μm .

© 2012 [Nature Education](#) McGully, M. The rhizosphere: the key functional unit in plant/soil/microbial interactions in the field. implications for the understanding of allelopathic effects. Division of Plant Industry. Forth World Congress on Allelopathy. The Regional Institute Ltd. All rights reserved.


Plants and microbes collaborate to cycle nutrients




Plants and microbes collaborate to cycle nutrients




Plants and microbes collaborate to cycle nutrients




Plants and microbes collaborate to cycle nutrients



Sterile soil




Sterile soil
+ bacteria



Sterile soil
+ bacteria
+ grazers

Cover the soil whenever possible


Most common rotations



Rotation with a cover crop



Why is this nutrient cycling so important?



Soil nitrogen accounts for more than half of the nitrogen a crop takes up





FIG. 8. The percentage of total plant biomass N from fertilizer and soil for corn, spring small grains, and winter small grains, for studies in the meta-analysis database. In aggregate, the ^{15}N literature confirmed the generalization that the majority of crop N comes from soil pools. From Gardner and Drinkwater 2009.

Legume-based cropping systems can provide high nitrogen organic matter



Bigger impact on OM% from a diverse crop rotation with cover crops, than without





Fig. 5. Mean changes in soil total C by whether one or more of the crops included in the rotation was a cover crop and number of crops in rotation. The number of observations for each crop is shown in parentheses. “Overall” (outlined circles) is the mean change when the different number of crops are pooled. Error bars are 95% bias-corrected confidence intervals. (McDaniel et al. 2014)


Organic matter diversity



Organic matter diversity



Organic matter diversity



C:N
30:1

Table 1. Carbon to nitrogen ratios of crop residues and other organic materials

Material	C:N Ratio
rye straw	82:1
wheat straw	80:1
oat straw	70:1
corn stover	57:1
rye cover crop (anthesis)	37:1
pea straw	29:1
rye cover crop (vegetative)	26:1
mature alfalfa hay	25:1
Ideal Microbial Diet	24:1
rotted barnyard manure	20:1
legume hay	17:1
beef manure	17:1
young alfalfa hay	13:1
hairy vetch cover crop	11:1
soil microbes (average)	8:1




↑
slower

Relative
Decomposition
Rate


↓
faster




Organic matter diversity




Organic matter diversity



C:N
30:1



12:1 60:1 24:1 37:1 42:1



Diversity in agricultural systems



Diversity in agricultural systems

□ Temporal diversity: rotations




Figure 1. The effect of crop rotation on corn yield at the NWIARDC in Monmouth, IL between 1998 and 2012. <https://web.extension.illinois.edu/nwiardc/downloads/48185.pdf>

Cover crop mixtures



Why might you be interested in mixtures of cover crops?



Why might you be interested in mixtures of cover crops?

- Looking for multiple benefits that one species can't deliver
- The C:N ratio of just legumes or non-legumes isn't appropriate
- Want to incorporate plant families that aren't in main crop rotation
- Synergy from combining cultivars, species or functional groups

Common example of a mixture: Legumes and grasses

Fixed nitrogen from legumes




Weed suppression from grasses




Together, lower C:N ratio than grass
alone, consistent weed suppression,
increased nitrogen fixation

Nitrogen is fixed by rhizobia symbiosis with legumes



Nitrogen is fixed by rhizobia symbiosis with legumes




2) As N availability increases, legumes are able to capture more soil N.

3) If a grass is planted with the legume, it will draw down soil N forcing the legume to fix more N.

1) In lower fertility soils where P and micronutrients are adequate, legumes fix more N.

4) If soil N availability is very high, the grass will grow very quickly and legume growth will be suppressed.



All about the environment



Legumes in mixtures show a greater reduction in the amount of N fixed in fields with higher N fertility

Pounds of fixed N per acre

	Medium fertility field	High fertility field
Red clover	80	65
Clover/grass mix	70	38



Legumes in mixtures show a greater reduction in the amount of N fixed in fields with higher N fertility

Pounds of fixed N per acre

	Medium fertility field	High fertility field
Red clover	80	65
Clover/grass mix	70	38




How to wield the double-edged sword of legume/grass mixtures

- Potential for great benefits
 - In-field adaptation to soil conditions
 - May not deliver expected goals under certain conditions
-
- Check soil conditions first
 - Examine nodules for color
 - Adjust future seeding rates



photo by Steven Vanek

Species and cultivar diversity in cover crop mixtures to improve performance



Qty.	Species	Cultivar
17	single species	single cultivars
8	single species	cultivar mixtures
17	species mixtures	single cultivars
7	species mixtures	cultivar mixtures
49	cover crop treatments total forming a diversity gradient	

Seeds planted



September

Over
wintering
planting
niche

Biomass harvested




June

Measured:


- **Weed biomass**
- **Cover crop biomass**
- Nitrogen fixation
- Soil nitrogen

Weed biomass decreases with more cultivars of one species mixed together (2014, 2015)




Cover crop biomass responds variably with increasing number of cultivars


2015



Significantly less weed biomass with more than 1 species



Significantly more cover crop biomass with more than 1 species



Takeaways

- Plants are the engine of the soil system
- Microbes work with plants to make the necessary nutrients available to plants
- Keep the soil covered and working!
- Diversify your organic matter inputs with rotations and cover crop mixtures
- Balance legume/grass mixtures for the soil conditions
- Incorporate diversity at all levels in cover crop mixtures
 - ▣ Species
 - ▣ Cultivars

Thanks!

Please contact me at
err76@cornell.edu

And come find me at lunch
with any other questions!

With support from:



Cornell University
College of Agriculture and Life Sciences